

Anti-h AMH 11309 SPTN-5

product information

Item number: PEM19437

Specificity: Antibody recognizes human anti-Müllerian hormone (AMH)

Description: Monoclonal mouse antibody, cultured in vitro under conditions free

from

animal-derived components.

Product buffer solution: 50 mM Na-citrate, pH 6.0, 0.9 % NaCI, 0.095 % NaN3 as

a preservative

Shelf life and storage: Unspecified, storage at 2-8 °C

Subclass: IgG1

Analyte description : Anti-Müllerian hormone (AMH) is a glycoprotein produced

by the Sertoli ells of the testis and by the granulosa cells of the ovary. It is used as

biomarker to assess ovarian reserve levels.

Parameters tested on each lot

Product appearance : Liquid, may turn slightly opaque during storage

Product concentration : 5.0 mg/ml (+/-10 %)

Immunoreactivity: 80–120 % compared to the reference sample in an FIA test

IEF Profile : 5.9–7.2

Purity : ≥ 95 %

Kinetic parameters

Association rate constant : 2.2. x 105 1/Ms

Dissociation rate constant : 1.2 x 10-5 1/s

Affinity constant : $KA = 1.7 \times 1010 \text{ 1/M}$; $KD = 9.3 \times 10-11 \text{ M}$ (= 0.09 nM)

Determination method: BLI (Octet RED96e)

Cross-reactivities: N/D

Epitope : Amino acids Pro274-Glu279 in the N-terminal region of AMH

Platforms tested : FIA, LF, CLIA

Product stability: TEMPERATURE, TIME RESULT

-70 °C, 21 days OK

-20 °C, 21 days OK

+4 °C, 21 days OK

+35 °C, 21 days OK

+45 °C, 7 days OK

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. Please note that the shelf life given on the first page is based on real time stability testing at 2–8 °C in the product buffer.